

# Linea

SL-20 PoE+

Active speaker with Power over Ethernet, 2 × 2.5" / 0.75"















### Linea SL-20 PoE+

SL-20 PoE+ is perhaps the most compact loudspeaker system with Power over Ethernet. It is ideal for installations in voice transmission systems, for example in government buildings or conference rooms, for background music in the hospitality industry and for immersive audio applications. It is equipped with two 2.5" chassis and a dome tweeter. PoE+ technology reduces installation to a single network cable. This also delivers audio via Dante and enables remote control of the integrated Fohhn DSP and IT-friendly monitoring.

#### Main features

- Active system (Power over Ethernet)
- PoE+ power (30 W RMS)
- Lossless audio transmission with Dante, AES-67
- Easy installation with a single network cable
- Fohhn DSP inside (EQ, Delay,...)
- 2 × 2.5" long excursion chassis / 0.75" dome tweeter
- Special colors possible (RAL Classic, NCS, Pantone, Fohhn Texture Design)
- Flexible mounting thanks to continuous T-slot on the back
- 2 slot nuts included in scope of delivery
- Monitoring via UDP
- Easy integration into media control systems (Creston plug-in, Q-Svs)
- Suitable for immersive audio applications

Available with the following color options



Black

Equipped with the following Fohhn technologies



Fohhn Texture Design



Fohhn DSP



Special colors optional



Auto Power

Possible input interfaces for this product

## Technical data

### Electroacoustic features

acoustic design	2-way active
components	2x 2.5" long excursion driver / 0.75" dome tweeter
Physical features	
enclosure	aluminum, powder coated
connectors	RJ-45
dimensions (w × h × d)	85 × 214 × 90 / 100 mm
standard colours	black or white powder coated
front design	Front grille in enclosure color
mounting points	continuous T–slot at rear

### **Optional features**

optional colours	RAL Classic / NCS / Pantone on request, Fohhn Texture Design

Fohhn Audio AG Großer Forst 15 72622 Nuertingen Germany Phone +49 7022 93323-0 Fax +49 7022 93324-0 www.fohhn.com info@fohhn.com

