

# Integrato

## IGS-4

Passive, flat subwoofer for fixed installations, 4 × 4", 4 × passive radiator, 200 W, 112 dB SPL max., 495 × 495 × 108 mm



# Integrato IGS-4

IGS-4 is a super-flat passive subwoofer for ceiling or wall mounting. It is the perfect alternative when a bulky subwoofer on the floor is undesirable. For example, simply let IGS-4 disappear into the dropped ceiling or behind your media furniture!



## Main features

- 4 × 4" long excursion woofer and 4 × passive radiator
- Nominal power rating: 200 W
- Max SPL: 112 dB
- Cut-off frequency: 45 Hz
- Operation with one or two amplifier channels possible
- Screws for wall mounting included
- Ceiling mounting with separately available CSK-1
- In order to ensure performance and operational safety, Fohhn system amplifiers including the correct speaker preset are required.

## Available with the following color options



Black

## Equipped with the following Fohhn technologies



Special colors  
optional

# Technical data

## Electroacoustic features

acoustic design	Subwoofer, passive
power rating (nominal)	200 W
components	4 × 4" long excursion woofer / 4 × passive radiator
maximum SPL	112 dB
cut-off frequency	45 Hz
nominal impedance	2 × 4 ohms or 1 × 8 ohms

## Physical features

enclosure	multiplex birch plywood
weight	10.5 kg
standard colours	black or white
mounting points	4 × keyhole mounting point
connectors	2 × 2-pin Phoenix terminal
dimensions (W × H × D)	495 × 495 × 108 mm

## Optional features

optional colours	RAL Classic / NCS / Pantone on request
------------------	--

**Fohhn Audio AG**  
**Großer Forst 15**  
**72622 Nuertingen**  
**Germany**

**Phone +49 7022 93323-0**  
**Fax +49 7022 93324-0**  
**[www.fohhn.com](http://www.fohhn.com)**  
**[info@fohhn.com](mailto:info@fohhn.com)**

