

Converters

NA-4

Ethernet to Fohhn Net bridge, input: Ethernet (RJ-45), output: Fohhn Net (RJ-45)





The NA-4 is a Fohhn Net Ethernet bridge for integrating Fohhn Net devices into a local Ethernet based network. The NA-4 can be used with all Fohhn devices that have an RS-485 based Fohhn Net interface.

Main features

- Connectors: 100Base-TX Ethernet port with PoE, USB-C port for configuration and optional power supply, Fohhn-Net (RJ-45)
- Multiple NA-4's can be used and controlled simultaneously via Fohhn Audio Soft
- Fohhn Net devices can be controlled and monitored with NA-4 over TCP protocol
- 1 U, 1/2 19"
- Mounting brackets for rack included

Available with the following color options



Black



Technical data

optional power supply

PoE power supply

Features	
dimensions (W \times H \times D)	210 × 44 × 172 mm
Electronic features	
protocols	IPv4, Fohhn-Net over UDP, TCP Text Protocol
Connections	
network configuration	Link-Local, DHCP, static address
Fohhn Net interface	RJ-45, RS-485, galvanically isolated
ethernet interface	100Base-TX
user configuration	USB-C, USB 2.0 Full Speed

USB-C, 5 V, 500 mA

IEEE 802.3af, Class 1 3,84 W

Fohhn Audio AG Großer Forst 15 72622 Nuertingen Germany Phone +49 7022 93323-0 Fax +49 7022 93324-0 www.fohhn.com info@fohhn.com

